

ABSTRACT

Riantika Intan Ramadhanti

Counsellor

NIM C2014060

1. Maryatun, S.Kep, Ns. M.Kes.

*Undergraduate Program of Nursing
Kep.*

2. Hermawati, S.Kep, Ns.M.

**CHARACTERISTIC OF PARENTS WHO HAVE BABYS WITH
PHYSIOLOGICAL JOUNDICE IN THE RSUD IR. SOEKARNO
SUKOHARJO DISTRICT.**

ABSTRACT

Back Ground ; Approximately 65% of neonates in the first week experience joundice. Occurs approxian mately 20-50% in the neonate enough months, and the numbers was higher in the neonate less than months. **Objectives** ; Knowing characteristics of parents who have babies with physiological joundice in the RSUD Ir. Soekrno Sukohrjo district. **Method** ; descriptive research. Sampling using purposivesampling technique, with a sample size of 89 respondents, instrument using questionnaires. **Result** ; Univariate analysis results knowed karakteristic based on the age is the enough months pregnancy 61 respnden (69%), based on the age of the parents 20-35 year 61 responden (68%), based on last education is basic education 49 responden (55%),based on multiparous parity 54 responden (61%), based on income is high income 46 responden (52%,based on private employees50 responden (56%), based on baby's birth weight is enough, based on type of patological labor 77 responden (87%), , based on type of patological labor 47 responden (53%), based on ANC regular visits 73 responden (82%). **Conclusion** ; Parents characteristic the most gestational age is the enough months pregnancy, the age of the parents 20-35 year, last education is basic education, multiparous parity, income is high income, private employees, baby's birth weight is enough, type of patological labor, ANC regular visits in the RSUD Ir. Soekarno Sukoharjo Districk.

Keywords: *Characteristic,Parents, Physiologica Joundice*