APPLICATION OF EARLY MOBILIZATION ON HEALING WOUND OPERATIONS IN POST SECTIO CAESAREA PATIENTS RSU ASY SYIFA BOYOLALI

Noraeni Indah Setyowati, Annisa Andriyani, Tri Susilowati

<u>Indah3995@gmail.com</u>

STIKES 'Aisyiyah Surakarta

ABSTRACT

Background: This application is a technique to help wound healing in post sectio caesarea patients. Early mobilization is an active action performed in bed with body parts exercises to perform movements that are useful for wound healing. The incidence of cesarean section in the United Kingdom and the United States occurs between 20-23%. In Indonesia, it is quite high, around 30-80%. In this case the authors impose early mobilization for wound recovery in post-sectio caesareae patients. Objective: To determine the effect of the application of early mobilization to wound surgery in post sectio caesarea patients in Rsu Asy Syifa 'Sambi Boyolali. Method: Descriptive research using the results of previous studies, to determine the results of post sectio caesarean wound healing before and after early mobilization in post sectio caesarea patients with a sample size of 2 respondents. Results: the application showed after being given early mobilization that was given a wound to the post sectio caesarean mother. Wound healing for Mrs. N from bad injury to good injury and Ny. Repairing a bad wound into a bad one. Conclusion: Early mobilization in post sectio caesarea patients can heal surgical wounds.

Keywords: early mobilization, wound healing, post sectio caesarea